

E51 - Solutions for irrigating kitchen-gardens and community market-garden produce

19 March 2012



Table of contents

- 1) What is involved ?
- 2) Who use these means and since when ?
- 3) Why ?
- 4) Who is primarily concerned ?
- 5) What does this process involve ? How is it used ?
 - a) What are the main water supply sources and what effects does this have ?
 - Source : PS-Eau Guide to market-garden project



b) What irrigation method should be preferred ?



Spray irrigation

Photo Les Irrigants Vienne



c) What means for drawing water ?




Photo : A windmill pump in Crete



Irrigating market-gardens in Benin using a motor pump. Photograph by Prospère Sagbo

- d) What is the approximate cost of kitchen-gardens depending on their watering equipment ?
- 6) Examples of best practice

- a) A programme undertaken at Lakanguém (Yélimané circle) Mali by an association of people from the village with help from NGO Enda Mali, Paris Water and SIAAP



Photo ENDA MALI

- b) A three-year programme (2008-2011) for access to water and sanitation by Caritas Ethiopia
- 7) Where to obtain further information - Bibliography

1) What is involved ?

Determining the best ways to find water, draw it and use it to water or irrigate market-gardens or kitchen-gardens created in villages and most often collectively managed.

This factsheet completes the previous and more general factsheet **E50 “How to create and manage them ?”** that we also recommend referring to.

2) Who use these means and since when ?

Everyone who produces market crops or gardens, whether for individual or collective use, and this since the beginning of time.

3) Why ?



Because water is most often scarce although the quantities needed are sometimes great and because water is essential and one of the main factors of success... and of failure.

A number of attempts to create such crop areas or kitchen-gardens have unfortunately failed for lack of sufficient watering or affordable watering or even because of an unexpected loss of supply even for just a few weeks. This can be overcome by building a small storage tank, despite any irregularity in resource

availability in a given region.

4) Who is primarily concerned ?

Most often families, groups, communities or schools in rural locations, but sometimes also around cities.

5) What does this process involve ? How is it used ?

To have the best chance of succeeding with kitchen-garden or market-garden crops (which for simplification's sake we will refer to hereinafter by the single term “**market-garden**” it is essential to **think through**, even before their creation, what water resources will be available and especially as regards the **following three points** :

a) What are the main water supply sources and what effects does this have ?

The easiest way to success in watering is of course to have sufficient piping, rivers, waterways, ponds, lakes or rain water tank capacity available close by, and yet the latter method is one often ignored (**refer to Factsheet E4 “Rain water recovery”**) or the presence of a spring (**refer to Factsheet E2 “Various technologies for water catchment and spring arrangement ?”**).

It is however often necessary to dig wells or drill for water which is of course far more costly, except if the water level is just a few metres below the surface.

The **kind of water point available also adds constraints**, whether in terms of sufficient and easy water availability, or in terms of carrying the water and time spent, if the water point is a distant one. Even a shallow well, or one with a depth of thirty metres will only allow irrigating less than 100 sq. metres of crops. To cover a larger area, it will then be necessary to dig more than one well or to complement them with other means.

The kind of water point available can therefore limit or even inhibit some crops.

Consequently, regardless of the size of the garden, **the depth of the water point and its distance from the garden** are important parameters for they especially determine the cost of pumping and transport.

These limits have been summed up in the table below by **PS Eau** (the Paris Water Solidarity Programme) in an excerpt from their very interesting Guide to Market-Gardening (see the link at the end of this Factsheet).

	Daily volumes available	Availability throughout the year	Comments
Well of less than 15 m	Low	May dry up at end of dry season	Requires knowing the well flow rate and not just the water height
Well of more than 15 m	Very low	May dry up at end of dry season	Very limited possibilities Market-gardening becomes almost impossible
Drilling	Highly variable, but generally low	All of the time	Volumes depend on the draining system fitted to the drilling Cost of water (linked to depth) Reliability of pumping Often in competition with other users
Watercourse	Very high Often unlimited	Generally all of the time	Requires a motor pump Pumping height varies Reliability of pumping Danger of flooding during winter
Pond	High, but limited (pond volume)	Especially during the cool off-season	Expanding pumping reduces water availability

Source : PS-Eau Guide to market-garden project

Nevertheless, it should also be restated that whatever the size of the market-garden and the kind of water resources, the garden will only be sustainable and the investment worthwhile if the investment in both

money and labour, is less than the sum of products produced, whether consumed or sold.

b) What irrigation method should be preferred ?



There are **many techniques** for watering or irrigating a market-garden :

Watering by hand comprises bringing water to plants using watering cans. This low cost technique is well suited to small surfaces and even medium surfaces as well as to gardens with only limited water resources but it requires significant labour input and leads to considerable fatigue.

This is because we consider that one man working full time can water a maximum of 500 sq. meters of crop area. In this case it is also preferable to set up small storage ponds.

To make watering easier, we recommend splitting the garden into one to two metre wide plots separated by planks or small passageways.



Gravity based systems assume that a **fairly abundant water source** is available nearby.

There are two main systems of this kind :

- **"Basin" irrigation** : Where water is brought by gravitation to one or more retention basins made on levelled ground (slope of 0.1 to 1%),

- **"Furrow" irrigation** : Where water runs into furrows, cuts or channels of 0.6 to 1.25 m, with the ground levelled (slope of some 0.2

to 3%).

This very widespread method in some areas, requires plenty of water due to water loss and major land preparation but it does allow easy irrigation of large areas.


Spray irrigation

Photo Les Irrigants Vienne

Pressurised systems

Again there are two main systems : “spray” and “drip” based

- **Spraying** comprises using rotary, fixed or mobile, spray heads to spray rain-like water. The spray heads are fed by underground pipes and a power pump, preferring the cooler hours for watering so as to avoid burning the plants. The way work is or



- **Drip** watering is a localised system that is highly efficient. It requires running small diameter flexible piping along crops that are pierced at regular intervals or programmable to match the location of plants and running low pressure water through the pipes at certain times of day.

This technique which is very economical in labour and water does however require a high degree of technicity on the part of users and very significant investments, reserving it mainly for large scale crop

growers. Where trees are grown, prefer a **micro-jet** approach.

	Irrigation efficiency	Requirements	Advantages	Targets
Watering can	80%	Lots of work	Quality and diversity	Beginners Large groups All water points
Gravity feed	50-60%	High flow rate Flattening essential	Large surface area	All groups Individuals Watercourse or pond
Spraying	80%	Pressure motor pump High investment Experience	Little labour required Large surface area	Individuals Small economic groupings
Drip	>90%	Pressure motor pump High investment Technicity	High yield Little labour required	High performance individuals



c) What means for drawing water ?

With only limited resources and a small size garden, the simplest and most cost effective means is to connect to an existing tap or to draw water from a neighbouring well, pond or stream using a bucket or bladder , then use a watering can.

Drawing water is however made far easier by using a pump.

Irrigating market-gardens in Benin using a motor pump. Photograph by Prospère Sagbo

There are models suited to all kinds of crops or gardens, some of which cost less than €400 for small surfaces.

- A solar pump : **Refer to Factsheet E41 “Solar pumps”**. An efficient, non polluting and sustainable solution but one that cost quite a lot. Refer also to the “Solar Pump News” video taken from an Asian TV news program :

<https://www.youtube.com/watch?v=vSmEbsDeMhY>

d) What is the approximate cost of kitchen-gardens depending on their watering equipment ?

This varies, especially in line with the equipment used, that most often accounts for some two-thirds of the

total cost. On a per hectare basis, plan for the following amounts for an equipped and fenced garden :

- €1,500 to 5,000/hectare, equipped with a well, pumps and small water storages, depending on equipment,
- €1,000 to 3,000/hectare if water is pumped straight from a river using a motor pump,
- Only €3 to 400/hectare if fitted only with low-cost or treadle pumps and pipes.

6) Examples of best practice

a) A programme undertaken at Lakanguém (Yélimané circle) Mali by an association of people from the village with help from NGO Enda Mali, Paris Water and SIAAP



Photo ENDA MALI

It comprises three parts : bringing in the water, sanitation and gardening.

In addition to building a water tower, hand washing facilities at the school, standpipes and 279 cesspools, **three market-gardens** were created and cultivated by the village women.

As not enough well water was available to supply the market-garden, the water point management committee decided to create three dedicated standpipes. As one year later, this water turned out to be too expensive for the women gardeners, the Mayor and the management committee agreed to grant half-price social water.

Thanks to new training on gardening and watering techniques to avoid any waste, the women gardeners were able to increase their production and sell a part to buy resources while using the other part to improve their family's diet and that of the village. **To find out more on the contents of this programme**, please refer to (online) :

<http://www.pseau.org/outils/lettre/...>

b) A three-year programme (2008-2011) for access to water and sanitation by Caritas Ethiopia

As in the previous case, this programme (digging 24 wells, 40 water drillings, four water tanks and the capture of four springs) comprised a first three parts to **treat the water problem's various technical, sanitary, social, educational and economic dimensions** as well as including a **sanitation part** (building 2,780 latrines after providing hygiene training).

It also included the creation of six market-gardens with a total surface area of 12 hectares for use by 48 families in the **Tigray Region**.

The total cost of the water related investments required for completing these gardens (digging four wells, capturing two springs and miscellaneous equipment) came to **€9,000**.

In addition to serving their own needs, the families were able to save money from their sales and to initiate small-scale animal raising, trading and fish farming programmes to generate income so as to alleviate the chronic poverty and food dependency of their communities.

7) Where to obtain further information - Bibliography

- **PS Eau** (Water Solidarity Programme, Paris) : A very interesting and handy 38 page booklet (published in November 1997) providing plenty of detail of most of what you need to know before starting a market-gardening programme, something only partially summarised by this Factsheet. Document available online from : <http://www.pseau.org/outils/biblio/...>

- **TPI** (Traitement Pompage Irrigation company) : An example of a catalogue of the various kinds of irrigation equipment available, downloadable from : <http://www.tpi-ouest.fr/produit-mar...>

- **Tearfund** (NGO) : A three page document on irrigation especially setting out, with illustrations, how rope pumps work, and available online from : <http://tilz.tearfund.org/Francais/P...>

- Emplacement : Accueil > en > Wikiwater > Technical sheet > Facilitating access to water > Distributing >
- Adresse de cet article : <https://wikiwater.fr/e51-solutions-for-irrigating>