




# E32 - Importance and means for the maintenance of wells and boreholes

20 March 2012



## Table of contents

- 1) What is involved ?
- 2) Who use this means and since when ?
- 3) Why ?
- 4) Who is primarily concerned ?
  -   
Puits. Photo Caritas Burkina
- 5) What does this process involve ? How is it applied ?
  - a) Well cleanliness
  - b) Monitoring the water quality
  - c) Servicing the water pumping or drawing systems
  - d) Servicing the well structure
- 6) Special difficulties and remedies
- 7) Main advantages and drawbacks
- 8) Cost
- 9) Observations, recommendations and suggestions
- 10) Where to obtain further information
  - a) Websites

### 1) What is involved ?

Maintaining an installation means all operations that **keep it in good condition** or **return** it to its normal operating state in the event of a failure.

The aim with a water well is to keep the structure and well pumping and drawing equipment in good condition and **preserve the good quality of the extracted water**.

### 2) Who use this means and since when ?

Well **builders** who must identify and make known the needs and recommendations in terms of maintaining and servicing a well.

But also well users, who must have undergone awareness-raising and who must have the worry, with their management committee, of taking charge of the well operation and maintenance as far as they are able.

### 3) Why ?

The lack of well servicing and repair can halt pumping or drawing of water due to breakdowns in operation. It also downgrades the quality of the water and therefore causes illness.

Such malfunctions sadly lead to the abandoning of a very large number of wells that have been dug or bored every year worldwide.

### 4) Who is primarily concerned ?

All types of well are concerned, especially those dug in isolated rural areas when the wells were built without assistance from the inhabitants.



**Puits. Photo Caritas Burkina**

## 5) What does this process involve ? How is it applied ?

**Maintenance and servicing should be planned at different levels :**

- Keeping the area around the well clean
- Monitoring the water quality
- Servicing the water pumping or drawing systems
- Servicing the well structure and walls

### a) Well cleanliness

The areas surrounding the well must be **cleaned regularly**. The capture must also be cleaned by removing the debris which can fall into the well.

It is important to **prevent wastewater and human or animal waste being deposited anywhere near the well**, as it could penetrate the soil and potentially pollute the water table.

If the well is used for drinking water and to water livestock, **the watering place for the livestock must be well away** from the well.

A cover must be placed on the well casing if the diameter of the well is large.

### b) Monitoring the water quality

Analysing water quality is unfortunately not a regular occurrence and is even quite rare once a well goes into service.

If there no recent analyses or results of previous analyses available, it is very prudent if not necessary to have the water analysed again quickly.

An **annual bacteriological analysis** is highly recommended. Where there are serious risks of contamination, analyses to **screen for chemical health hazards** like nitrates, pesticides, heavy metals and volatile organic compounds (hydrocarbons, solvents, etc.).

It is also sensible to carry out analyses when the water has a **different** taste, colour or smell. The same applies when there are **unexplained illnesses** in the family or the neighbourhood or if chemicals or fuel oil are seen to have been spilled near the well.

It is also advisable to conduct analyses to check that the water is drinkable after disinfecting the area.

**The same applies if the area surrounding the well** or the well itself **has been flooded** and may therefore have been contaminated.

### c) Servicing the water pumping or drawing systems

Pumps, pipes and all other equipment (for example, winch, pulleys, etc.) must be checked regularly. Any breakdown must be repaired.

### d) Servicing the well structure

It is important to **monitor the well structure and wall coating**.

A damaged well casing or well liner when the casing has broken or following an ingress of dirty surface water into the well can contaminate the water through infiltration of contaminated water from the surface.

Wells can also be contaminated if bored in cracked or permeable soil with a sufficient layer of protective soil, especially if the well casing or liner is not long enough.

## 6) Special difficulties and remedies

Proper maintenance **requires good knowledge of the history of the well construction and**

**operation.**

**Several documents are required for this which must be updated regularly :**

**Storage of all well construction characteristics :**

- Identification, location, drawing
- contact details for the builder and suppliers of equipment used
- contact details for local contractors or craftsmen involved or who may become involved

**Establishment of a well maintenance and servicing programme**

- scheduling the servicing of equipment
- scheduling the water quality analyses

**Maintenance and servicing log for the equipment**

- intervention date
- name of contractor or worker
- work carried out
- cost of intervention

**Recording the water quality analysis results**

- date
- analysis carried out
- reason for the analysis
- method and/or laboratory used
- results of the analysis indicating the unit

## **7) Main advantages and drawbacks**

The maintenance tasks demand different skill levels depending on the difficulty of the intervention.

Some tasks can be undertaken by the well users, like keeping the surrounding area and the well itself clean.

Other tasks like servicing equipment and certain simple quality analyses require prior training and special tools or instruments.

Work on the well structure (well casing masonry, for example) requires the intervention of specialist craftsmen or contractors, preferably local.

## **8) Cost**

The cost of maintaining a well can vary according to the type of well and its environment. It is therefore difficult to give an accurate estimation.

Certain studies have nevertheless been used to produce a realistic order of magnitude in relation to the cost of constructing a well.

Annual maintenance of a well is estimated to be **between 2.5% and 5% of the total construction cost.**

## **9) Observations, recommendations and suggestions**

Raising the awareness and educating users to the need for maintenance and the installation's maintenance and servicing tasks are essential for sustainable operation of a well.

**It is a good idea for users to create a well management committee** to take responsibility for maintaining and servicing the well. It is also sensible to **charge** inhabitants **a fee for using** the well to finance the well maintenance and operating costs.

## **10) Where to obtain further information**

### **a) Websites**

- **Health Canada : guide to treating and servicing well water**  
<http://www.hc-sc.gc.ca/ewh-semt/pub...>
- **OMS/WHO : health technician manual**

<http://whqlibdoc.who.int/publicatio...> or

<https://afro.who.int/fr/news/batanga-un-village-du-sud-ubangi-nord-ouest-de-la-rdc-epargne-par-le-vibrion?country=975&camp;name=Democratic%20Republic%20congo>

- Emplacement : Accueil > en > Wikiwater > Technical sheet > Facilitating access to water > Distributing >
- Adresse de cet article : <https://wikiwater.fr/e32-importance-and-means-for-the>